

Cited in Biological Abstracts; Current Awareness in Biological Sciences (CABS); Current Contents / Life Sciences; Excerpta Medica (EMBASE); Index Medicus; Informedicus; Pascal M

CONTENTS

At the Cutting Edge

- The *PEX* gene: not a simple answer for X-linked hypophosphataemic rickets and oncogenic osteomalacia
A.E. Nelson, R.S. Mason, B.G. Robinson (Australia) 1
- Enteroglucagon, bowel growth and GLP-2
J.L. Dunphy, P.J. Fuller (Australia) 7

Research papers

- Ubiquitous transcription factors NF1 and Sp1 are involved in the androgen activation of the mouse vas deferens protein promoter
C.H. Darne, L. Morel, F. Claessens, M. Manin, S. Fabre, G. Veyssière, W. Rombauts, C.L. Jean (France, Belgium) 13
- The mechanism of inhibition of endothelin-1-induced stimulation of DNA synthesis in rat articular chondrocytes.
A.-M. Khatib, D. Ribault, M. Quintero, A. Barbara, J. Fiet, D.R. Mitrovic (France, Venezuela) 25
- Differential responsiveness of somatotrophs to growth hormone-releasing hormone and thyrotropin-releasing hormone during chicken embryonic development
C.E. Dean, M. Piper, T.E. Porter (USA) 33
- Isoforms of 11 β -hydroxysteroid dehydrogenase in human granulosa-lutein cells
A.E. Michael, M. Evagelatou, D.P. Norgate, R.J. Clarke, J.W. Antoniw, B.A. Stedman, A. Brennan, R. Welsby, I. Bujalska, P.M. Stewart, B.A. Cooke (UK) 43
- A temporally intermediate mode of gonadotropin releasing hormone-induced desensitization of luteinizing hormone secretion
M.P. Cassina, K.D. Grantham, J.D. Neill (USA) 53
- Molecular interactions between dynamin and G-protein $\beta\gamma$ -subunits in neuroendocrine cells
J.-P. Liu, Y. Yajima, H. Li, S. Ackland, Y. Akita, J. Stewart, S. Kawashima (Australia, Japan) 61
- Gene expression and specific binding of platelet-derived growth factor and its effect on DNA synthesis in human decidual cells
M. Saji, M. Taga, H. Matsui, K. Suyama, K. Kurogi, H. Minaguchi (Japan) 73
- Gene expression of the insulin-like growth factor system during mouse kidney development
D.J. Lindenbergh-Kortleve, R.R. Rosato, J.W. van Neck, J. Nauta, M. van Kleffens, C. Groffen, E.C. Zwarthoff, S.L.S. Drop (The Netherlands) 81
- Lipid metabolism in tumour-bearing mice: Studies with knockout mice for tumour necrosis factor receptor 1 protein
J. López-Soriano, M. Llovera, N. Carbó, C. García-Martínez, F.J. López-Soriano, J.M. Argiles (Spain) 93
- Retinoid receptors in rat vaginal and uterine epithelia: changes with ovarian steroids
N. Boehm, D. Chateau, C. Rochette-Egly (France) 101
- Characterization of DNA regions mediating the ability of Ca²⁺/calmodulin dependent protein kinase II to stimulate prolactin promoter activity
B.E. Nowakowski, Y. Okimura, R.A. Maurer (USA) 109

(Contents continued on inside back cover)

The table of contents of *Molecular and Cellular Endocrinology* is included in ESTOC — Elsevier Science Tables of Contents service — which can be accessed on the World Wide Web at the following URL addresses:
<http://www.elsevier.nl/locate/estoc> or <http://www.elsevier.com/locate/estoc>



MOLECULAR AND CELLULAR ENDOCRINOLOGY

Subscription Information: *Molecular and Cellular Endocrinology* (ISSN 0303-7207). For 1997 vols. 126-136 are scheduled for publication. Subscription prices are available upon request from the Publisher. Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by surface mail except to the following countries where air delivery via SAL mail is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, PR China, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For all other countries airmail rates are available upon request. Claims for missing issues should be made within six months of our publication (mailing) date.

Orders, claims and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York	Amsterdam	Tokyo	Singapore
Elsevier Science	Elsevier Science	Elsevier Science	Elsevier Science
P.O. Box 945	P.O. Box 211	9-15 Higashi-Azabu 1-chome	No. 1 Temasek Avenue
New York, NY 10159-0945	1000 AE Amsterdam	Minato-ku, Tokyo 106	#17-01 Millenia Tower
USA	The Netherlands	Japan	Singapore 039192
Tel. (+1)212-633-3730	Tel. (+31)20-4853757	Tel. (+81)3-5561-5033	Tel. (+65)434-3727
[Toll free number for North American customers:	Fax (+31)20-4853432	Fax (+81)3-5561-5047	Fax (+65)337-2230
1-888-4ES-INFO (437-4636)]	e-mail nlinfo-f@elsevier.nl	e-mail kyf04035@niftyserve.or.jp	e-mail asiainfo@elsevier.com.sg
Fax (+1)212-633-3680			
e-mail usinfo-f@elsevier.com			

Information for Advertisers: Advertising orders and enquiries can be sent to the following: **International:** Elsevier Science, Advertising Department, The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB, UK; Tel: (+44) (0) 1865 843565; Fax (+44) (0) 1865 843976. **USA & Canada:** Weston Media Associates, Dan Lipner, P.O. Box 1110, Greens Farms, CT 06436-1110, USA; Tel (203) 261 2500; Fax (203) 261 0101. **Japan:** Elsevier Science Japan, Marketing Services, 1-9-15 Higashi-Azabu, Minato-ku, Tokyo 106, Japan; Tel (+81) 3 5561 5033; Fax (+81) 3 5561 5047.

Contents continued from Outside Back Cover

IFN- τ increases PGE ₂ production and COX-2 gene expression in the bovine endometrium in vitro	
E. Asselin, D. Lacroix, M.A. Fortier (Canada)	117
Sertoli cell-specific expression of rat androgen-binding protein in transgenic mice: effects on somatic cell lineages	
C. Esteban, A. Gérard, S. Larrib, N. Torán, H. Gérard, J. Reventós (Spain, France)	127
Stage-specific expression and phosphorylation of retinoblastoma protein (pRb) in the rat seminiferous epithelium	
W. Yan, A. West, J. Toppari, J. Lähdetie (Finland)	137
Identification of IL-6 as one of the important cytokines responsible for the ability of mononuclear cells to stimulate Sertoli cell functions	
E. Hoebe, A. Wuyts, P. Proost, J. Van Damme, G. Verhoeven (Belgium)	149
Endothelin receptor mRNAs in human fetal membranes, chorionic vessels, and decidua parietalis	
A.M. Germain, P.C. MacDonald, M.L. Casey (USA)	161
Fibroblast growth factor receptor (FGFR)-4, but not FGFR-3 is expressed in the pregnant ovary	
E.E. Puscheck, Y. Patel, D.A. Rappolee (USA)	169
Corticosterone is required for the prolactin receptor gene expression in the late pregnant mouse mammary gland	
Y. Mizoguchi, H. Yamaguchi, F. Aoki, J. Enami, S. Sakai (Japan)	177
Glycosylation variants of human TSH selectively activate signal transduction pathways	
L. Schaaf, A. Leiprecht, M. Saji, U. Hübner, K.H. Usadel, L.D. Kohn (Germany, USA)	185
<i>Rapid Paper</i>	
Identification of a splice variant of the rat estrogen receptor β gene	
S. Chu, P.J. Fuller (Australia)	195
<i>Calendar</i>	201
<i>Notes to Authors</i>	

